

Table 1
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For Married White Women

| Age of Mother | Birth Order | | | | | | | | | | Total | |
|-------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|-----|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | | |
| 16 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 18 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 19 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 20 | 5 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| 21 | 4 | 7 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| 22 | 8 | 7 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 19 |
| 23 | 10 | 6 | 5 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 24 | 10 | 7 | 5 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 28 |
| 25 thru 29 | 48 | 49 | 30 | 13 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 145 |
| 30 thru 34 | 16 | 34 | 16 | 14 | 7 | 3 | 0 | 0 | 0 | 0 | 0 | 90 |
| 35 thru 39 | 4 | 12 | 6 | 4 | 1 | 1 | 3 | 2 | 1 | 0 | 0 | 34 |
| 40 thru 44 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| Total | 121 | 134 | 69 | 40 | 13 | 7 | 3 | 3 | 1 | 2 | 393 | |

Table 1
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For Married Minority Women

| Age of Mother | Birth Order | | | | Total |
|---------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | |
| 25 thru 29 | 0 | 2 | 0 | 3 | 5 |
| 30 thru 34 | 1 | 2 | 0 | 0 | 3 |
| 35 thru 39 | 0 | 0 | 1 | 1 | 2 |
| 40 thru 44 | 1 | 0 | 0 | 0 | 1 |
| Total | 2 | 4 | 1 | 4 | 11 |

Table 1
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For Unmarried White Women

| Age of Mother | Birth Order | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 6th | 9th or More | |
| 14 | 3 | 0 | 0 | 0 | 0 | 0 | 3 |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 7 | 0 | 0 | 0 | 0 | 0 | 7 |
| 17 | 5 | 0 | 0 | 0 | 0 | 0 | 5 |
| 18 | 8 | 1 | 0 | 0 | 0 | 0 | 9 |
| 19 | 3 | 5 | 4 | 0 | 0 | 0 | 12 |
| 20 | 5 | 2 | 0 | 0 | 0 | 0 | 7 |
| 21 | 3 | 7 | 1 | 0 | 0 | 0 | 11 |
| 22 | 3 | 6 | 1 | 0 | 0 | 0 | 10 |
| 23 | 2 | 3 | 1 | 5 | 0 | 0 | 11 |
| 24 | 0 | 2 | 0 | 1 | 0 | 0 | 3 |
| 25 thru 29 | 0 | 8 | 7 | 3 | 0 | 0 | 18 |
| 30 thru 34 | 3 | 2 | 2 | 1 | 0 | 0 | 8 |
| 35 thru 39 | 3 | 2 | 1 | 2 | 1 | 0 | 9 |
| 40 thru 44 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Total | 47 | 38 | 17 | 12 | 1 | 1 | 116 |

Table 1
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For Unmarried Minority Women

| Age of Mother | Birth Order | | | | Total |
|---------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | |
| 20 | 0 | 0 | 1 | 0 | 1 |
| 23 | 1 | 0 | 0 | 0 | 1 |
| 24 | 1 | 0 | 0 | 1 | 2 |
| 25 thru 29 | 0 | 1 | 0 | 0 | 1 |
| 30 thru 34 | 1 | 0 | 0 | 0 | 1 |
| Total | 3 | 1 | 1 | 1 | 6 |

Table 2
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For All Women

| Age of Mother | Birth Order | | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| 14 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 17 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 18 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 19 | 12 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 20 | 10 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| 21 | 7 | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 22 | 11 | 13 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 29 |
| 23 | 13 | 9 | 6 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 37 |
| 24 | 11 | 9 | 5 | 6 | 0 | 1 | 0 | 0 | 0 | 1 | 33 |
| 25 thru 29 | 48 | 60 | 37 | 19 | 3 | 2 | 0 | 0 | 0 | 0 | 169 |
| 30 thru 34 | 21 | 38 | 18 | 15 | 7 | 3 | 0 | 0 | 0 | 0 | 102 |
| 35 thru 39 | 7 | 14 | 8 | 7 | 1 | 2 | 3 | 2 | 1 | 0 | 45 |
| 40 thru 44 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 7 |
| Total | 173 | 177 | 88 | 57 | 13 | 8 | 3 | 3 | 2 | 2 | 526 |

Table 2
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For White Women

| Age of Mother | Birth Order | | | | | | | | | | Total |
|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| 14 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 17 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 18 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 19 | 12 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 20 | 10 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| 21 | 7 | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 22 | 11 | 13 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 29 |
| 23 | 12 | 9 | 6 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 36 |
| 24 | 10 | 9 | 5 | 5 | 0 | 1 | 0 | 0 | 0 | 1 | 31 |
| 25 thru 29 | 48 | 57 | 37 | 16 | 3 | 2 | 0 | 0 | 0 | 0 | 163 |
| 30 thru 34 | 19 | 36 | 18 | 15 | 7 | 3 | 0 | 0 | 0 | 0 | 98 |
| 35 thru 39 | 7 | 14 | 7 | 6 | 1 | 2 | 3 | 2 | 1 | 0 | 43 |
| 40 thru 44 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 6 |
| Total | 168 | 172 | 86 | 52 | 13 | 8 | 3 | 3 | 2 | 2 | 509 |

Table 2
Stokes County Resident Births for 2000
By Age of Mother and Birth Order
For Minority Women

| Age of Mother | Birth Order | | | | Total |
|---------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | |
| 20 | 0 | 0 | 1 | 0 | 1 |
| 23 | 1 | 0 | 0 | 0 | 1 |
| 24 | 1 | 0 | 0 | 1 | 2 |
| 25 thru 29 | 0 | 3 | 0 | 3 | 6 |
| 30 thru 34 | 2 | 2 | 0 | 0 | 4 |
| 35 thru 39 | 0 | 0 | 1 | 1 | 2 |
| 40 thru 44 | 1 | 0 | 0 | 0 | 1 |
| Total | 5 | 5 | 2 | 5 | 17 |

Table 3
Stokes County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For All Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|---------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 14 | 0 | 0 | 3 | 0 | 3 |
| 15 | 0 | 0 | 2 | 0 | 2 |
| 16 | 0 | 1 | 7 | 0 | 8 |
| 17 | 0 | 0 | 5 | 0 | 5 |
| 18 | 0 | 0 | 16 | 0 | 16 |
| 19 | 0 | 2 | 23 | 0 | 25 |
| 20 | 0 | 0 | 20 | 0 | 20 |
| 21 | 0 | 2 | 23 | 0 | 25 |
| 22 | 1 | 1 | 27 | 0 | 29 |
| 23 | 0 | 1 | 36 | 0 | 37 |
| 24 | 0 | 2 | 31 | 0 | 33 |
| 25 thru 29 | 2 | 7 | 160 | 0 | 169 |
| 30 thru 34 | 2 | 9 | 91 | 0 | 102 |
| 35 thru 39 | 1 | 4 | 40 | 0 | 45 |
| 40 thru 44 | 0 | 0 | 6 | 1 | 7 |
| Total | 6 | 29 | 490 | 1 | 526 |

Table 3
Stokes County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For White Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|---------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 14 | 0 | 0 | 3 | 0 | 3 |
| 15 | 0 | 0 | 2 | 0 | 2 |
| 16 | 0 | 1 | 7 | 0 | 8 |
| 17 | 0 | 0 | 5 | 0 | 5 |
| 18 | 0 | 0 | 16 | 0 | 16 |
| 19 | 0 | 2 | 23 | 0 | 25 |
| 20 | 0 | 0 | 19 | 0 | 19 |
| 21 | 0 | 2 | 23 | 0 | 25 |
| 22 | 1 | 1 | 27 | 0 | 29 |
| 23 | 0 | 1 | 35 | 0 | 36 |
| 24 | 0 | 2 | 29 | 0 | 31 |
| 25 thru 29 | 1 | 6 | 156 | 0 | 163 |
| 30 thru 34 | 2 | 9 | 87 | 0 | 98 |
| 35 thru 39 | 0 | 4 | 39 | 0 | 43 |
| 40 thru 44 | 0 | 0 | 5 | 1 | 6 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 3
Stokes County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For Minority Women

| Age of Mother | Birth Weight in Grams | | | Total |
|---------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 20 | 0 | 0 | 1 | 1 |
| 23 | 0 | 0 | 1 | 1 |
| 24 | 0 | 0 | 2 | 2 |
| 25 thru 29 | 1 | 1 | 4 | 6 |
| 30 thru 34 | 0 | 0 | 4 | 4 |
| 35 thru 39 | 1 | 0 | 1 | 2 |
| 40 thru 44 | 0 | 0 | 1 | 1 |
| Total | 2 | 1 | 14 | 17 |

Table 4
Stokes County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For All Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|---------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None or Elem. | 0 | 0 | 26 | 0 | 26 |
| H.S. 1-3 Years | 1 | 4 | 84 | 0 | 89 |
| H.S. 4 Years | 2 | 14 | 187 | 0 | 203 |
| Col. 1-3 Years | 3 | 5 | 113 | 0 | 121 |
| Col. 4+ Years | 0 | 5 | 79 | 0 | 84 |
| Not stated | 0 | 1 | 1 | 1 | 3 |
| Total | 6 | 29 | 490 | 1 | 526 |

Table 4
Stokes County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For White Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|---------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None or Elem. | 0 | 0 | 26 | 0 | 26 |
| H.S. 1-3 Years | 1 | 4 | 83 | 0 | 88 |
| H.S. 4 Years | 1 | 13 | 178 | 0 | 192 |
| Col. 1-3 Years | 2 | 5 | 110 | 0 | 117 |
| Col. 4+ Years | 0 | 5 | 78 | 0 | 83 |
| Not stated | 0 | 1 | 1 | 1 | 3 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 4
Stokes County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For Minority Women

| Education of Mother | Birth Weight in Grams | | | Total |
|---------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| H.S. 1-3 Years | 0 | 0 | 1 | 1 |
| H.S. 4 Years | 1 | 1 | 9 | 11 |
| Col. 1-3 Years | 1 | 0 | 3 | 4 |
| Col. 4+ Years | 0 | 0 | 1 | 1 |
| Total | 2 | 1 | 14 | 17 |

Table 5
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For All Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| First Month | 6 | 22 | 91 | 54 | 50 | 0 | 223 |
| Second Month | 11 | 40 | 87 | 57 | 30 | 1 | 226 |
| Third Month | 1 | 13 | 12 | 7 | 2 | 0 | 35 |
| Fourth Month | 4 | 5 | 8 | 1 | 1 | 0 | 19 |
| Fifth Month | 3 | 4 | 3 | 1 | 1 | 0 | 12 |
| Sixth Month | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| Eighth Month | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| Not Stated | 1 | 1 | 1 | 1 | 0 | 1 | 5 |
| Total | 26 | 89 | 203 | 121 | 84 | 3 | 526 |

Table 5
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For White Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| First Month | 6 | 22 | 86 | 53 | 50 | 0 | 217 |
| Second Month | 11 | 39 | 82 | 55 | 30 | 1 | 218 |
| Third Month | 1 | 13 | 11 | 6 | 2 | 0 | 33 |
| Fourth Month | 4 | 5 | 8 | 1 | 1 | 0 | 19 |
| Fifth Month | 3 | 4 | 3 | 1 | 0 | 0 | 11 |
| Sixth Month | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| Eighth Month | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| Not Stated | 1 | 1 | 1 | 1 | 0 | 1 | 5 |
| Total | 26 | 88 | 192 | 117 | 83 | 3 | 509 |

Table 5
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For Minority Women

| Month Prenatal Care Began | Education of Mother | | | | Total |
|---------------------------|---------------------|--------------|----------------|---------------|-------|
| | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | |
| First Month | 0 | 5 | 1 | 0 | 6 |
| Second Month | 1 | 5 | 2 | 0 | 8 |
| Third Month | 0 | 1 | 1 | 0 | 2 |
| Fifth Month | 0 | 0 | 0 | 1 | 1 |
| Total | 1 | 11 | 4 | 1 | 17 |

Table 6
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For All Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| 14 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| 15 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 0 | 2 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 8 |
| 17 | 0 | 1 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5 |
| 18 | 0 | 9 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 19 | 0 | 4 | 11 | 3 | 3 | 1 | 0 | 2 | 0 | 1 | 25 |
| 20 | 0 | 4 | 11 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 20 |
| 21 | 1 | 8 | 14 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 25 |
| 22 | 0 | 9 | 13 | 5 | 0 | 1 | 0 | 0 | 0 | 1 | 29 |
| 23 | 0 | 11 | 17 | 1 | 3 | 4 | 0 | 0 | 1 | 0 | 37 |
| 24 | 0 | 18 | 12 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 33 |
| 25 thru 29 | 0 | 78 | 80 | 5 | 3 | 2 | 0 | 0 | 1 | 0 | 169 |
| 30 thru 34 | 0 | 53 | 41 | 3 | 2 | 2 | 0 | 0 | 0 | 1 | 102 |
| 35 thru 39 | 0 | 24 | 15 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 45 |
| 40 thru 44 | 0 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 7 |
| Total | 1 | 223 | 226 | 35 | 19 | 12 | 1 | 2 | 2 | 5 | 526 |

Table 6
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For White Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| 14 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| 15 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 0 | 2 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 8 |
| 17 | 0 | 1 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5 |
| 18 | 0 | 9 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 19 | 0 | 4 | 11 | 3 | 3 | 1 | 0 | 2 | 0 | 1 | 25 |
| 20 | 0 | 4 | 10 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 19 |
| 21 | 1 | 8 | 14 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 25 |
| 22 | 0 | 9 | 13 | 5 | 0 | 1 | 0 | 0 | 0 | 1 | 29 |
| 23 | 0 | 11 | 16 | 1 | 3 | 4 | 0 | 0 | 1 | 0 | 36 |
| 24 | 0 | 16 | 12 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 31 |
| 25 thru 29 | 0 | 75 | 77 | 5 | 3 | 2 | 0 | 0 | 1 | 0 | 163 |
| 30 thru 34 | 0 | 52 | 39 | 3 | 2 | 1 | 0 | 0 | 0 | 1 | 98 |
| 35 thru 39 | 0 | 24 | 14 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 43 |
| 40 thru 44 | 0 | 1 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 6 |
| Total | 1 | 217 | 218 | 33 | 19 | 11 | 1 | 2 | 2 | 5 | 509 |

Table 6
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For Minority Women

| Age of Mother | Month Prenatal Care Began | | | | Total |
|-------------------|---------------------------|--------------|-------------|-------------|-------|
| | First Month | Second Month | Third Month | Fifth Month | |
| 20 | 0 | 1 | 0 | 0 | 1 |
| 23 | 0 | 1 | 0 | 0 | 1 |
| 24 | 2 | 0 | 0 | 0 | 2 |
| 25 thru 29 | 3 | 3 | 0 | 0 | 6 |
| 30 thru 34 | 1 | 2 | 0 | 1 | 4 |
| 35 thru 39 | 0 | 1 | 1 | 0 | 2 |
| 40 thru 44 | 0 | 0 | 1 | 0 | 1 |
| Total | 6 | 8 | 2 | 1 | 17 |

Table 7
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For All Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 0 | 1 | 1 |
| First Month | 188 | 35 | 223 |
| Second Month | 175 | 51 | 226 |
| Third Month | 22 | 13 | 35 |
| Fourth Month | 8 | 11 | 19 |
| Fifth Month | 6 | 6 | 12 |
| Sixth Month | 0 | 1 | 1 |
| Seventh Month | 0 | 2 | 2 |
| Eighth Month | 1 | 1 | 2 |
| Not Stated | 4 | 1 | 5 |
| Total | 404 | 122 | 526 |

Table 7
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For White Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 0 | 1 | 1 |
| First Month | 185 | 32 | 217 |
| Second Month | 170 | 48 | 218 |
| Third Month | 20 | 13 | 33 |
| Fourth Month | 8 | 11 | 19 |
| Fifth Month | 5 | 6 | 11 |
| Sixth Month | 0 | 1 | 1 |
| Seventh Month | 0 | 2 | 2 |
| Eighth Month | 1 | 1 | 2 |
| Not Stated | 4 | 1 | 5 |
| Total | 393 | 116 | 509 |

Table 7
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For Minority Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| First Month | 3 | 3 | 6 |
| Second Month | 5 | 3 | 8 |
| Third Month | 2 | 0 | 2 |
| Fifth Month | 1 | 0 | 1 |
| Total | 11 | 6 | 17 |

Table 8
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For All Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| First Month | 75 | 71 | 39 | 27 | 4 | 4 | 1 | 2 | 0 | 0 | 223 |
| Second Month | 72 | 83 | 40 | 22 | 6 | 1 | 1 | 0 | 1 | 0 | 226 |
| Third Month | 14 | 9 | 5 | 4 | 1 | 1 | 0 | 1 | 0 | 0 | 35 |
| Fourth Month | 7 | 3 | 2 | 3 | 1 | 1 | 1 | 0 | 1 | 0 | 19 |
| Fifth Month | 2 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| Sixth Month | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Eighth Month | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| Not Stated | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 5 |
| Total | 173 | 177 | 88 | 57 | 13 | 8 | 3 | 3 | 2 | 2 | 526 |

Table 8
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For White Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| First Month | 73 | 70 | 39 | 24 | 4 | 4 | 1 | 2 | 0 | 0 | 217 |
| Second Month | 70 | 80 | 39 | 20 | 6 | 1 | 1 | 0 | 1 | 0 | 218 |
| Third Month | 13 | 9 | 4 | 4 | 1 | 1 | 0 | 1 | 0 | 0 | 33 |
| Fourth Month | 7 | 3 | 2 | 3 | 1 | 1 | 1 | 0 | 1 | 0 | 19 |
| Fifth Month | 2 | 7 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| Sixth Month | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Seventh Month | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Eighth Month | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| Not Stated | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 5 |
| Total | 168 | 172 | 86 | 52 | 13 | 8 | 3 | 3 | 2 | 2 | 509 |

Table 8
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For Minority Women

| Month Prenatal Care Began | Birth Order | | | | Total |
|---------------------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | |
| First Month | 2 | 1 | 0 | 3 | 6 |
| Second Month | 2 | 3 | 1 | 2 | 8 |
| Third Month | 1 | 0 | 1 | 0 | 2 |
| Fifth Month | 0 | 1 | 0 | 0 | 1 |
| Total | 5 | 5 | 2 | 5 | 17 |

Table 9
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For All Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 0 | 1 | 0 | 0 | 1 |
| First Month | 2 | 20 | 201 | 0 | 223 |
| Second Month | 4 | 5 | 217 | 0 | 226 |
| Third Month | 0 | 0 | 35 | 0 | 35 |
| Fourth Month | 0 | 1 | 18 | 0 | 19 |
| Fifth Month | 0 | 0 | 12 | 0 | 12 |
| Sixth Month | 0 | 1 | 0 | 0 | 1 |
| Seventh Month | 0 | 0 | 2 | 0 | 2 |
| Eighth Month | 0 | 0 | 2 | 0 | 2 |
| Not Stated | 0 | 1 | 3 | 1 | 5 |
| Total | 6 | 29 | 490 | 1 | 526 |

Table 9
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For White Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 0 | 1 | 0 | 0 | 1 |
| First Month | 2 | 19 | 196 | 0 | 217 |
| Second Month | 2 | 5 | 211 | 0 | 218 |
| Third Month | 0 | 0 | 33 | 0 | 33 |
| Fourth Month | 0 | 1 | 18 | 0 | 19 |
| Fifth Month | 0 | 0 | 11 | 0 | 11 |
| Sixth Month | 0 | 1 | 0 | 0 | 1 |
| Seventh Month | 0 | 0 | 2 | 0 | 2 |
| Eighth Month | 0 | 0 | 2 | 0 | 2 |
| Not Stated | 0 | 1 | 3 | 1 | 5 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 9
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For Minority Women

| Month Prenatal Care Began | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| First Month | 0 | 1 | 5 | 6 |
| Second Month | 2 | 0 | 6 | 8 |
| Third Month | 0 | 0 | 2 | 2 |
| Fifth Month | 0 | 0 | 1 | 1 |
| Total | 2 | 1 | 14 | 17 |

Table 10
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For All Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| One | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| Three | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 1 | 0 | 1 | 0 | 0 | 2 |
| Five | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| Six | 2 | 0 | 1 | 1 | 0 | 0 | 4 |
| Seven | 0 | 2 | 1 | 0 | 0 | 0 | 3 |
| Eight | 2 | 3 | 5 | 0 | 1 | 0 | 11 |
| Nine | 1 | 1 | 2 | 1 | 1 | 0 | 6 |
| Ten | 4 | 7 | 5 | 4 | 1 | 0 | 21 |
| Eleven | 0 | 3 | 5 | 1 | 2 | 0 | 11 |
| Twelve | 2 | 9 | 16 | 11 | 8 | 0 | 46 |
| Thirteen | 2 | 4 | 9 | 2 | 2 | 0 | 19 |
| Fourteen | 2 | 10 | 28 | 10 | 9 | 0 | 59 |
| Fifteen | 7 | 38 | 112 | 79 | 51 | 1 | 288 |
| 16 or More | 3 | 8 | 17 | 9 | 9 | 0 | 46 |
| Not Stated | 0 | 0 | 1 | 2 | 0 | 1 | 4 |
| Total | 26 | 89 | 203 | 121 | 84 | 3 | 526 |

Table 10
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For White Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| One | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| Three | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 1 | 0 | 1 | 0 | 0 | 2 |
| Five | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| Six | 2 | 0 | 1 | 1 | 0 | 0 | 4 |
| Seven | 0 | 2 | 1 | 0 | 0 | 0 | 3 |
| Eight | 2 | 3 | 4 | 0 | 1 | 0 | 10 |
| Nine | 1 | 1 | 2 | 1 | 1 | 0 | 6 |
| Ten | 4 | 7 | 5 | 3 | 0 | 0 | 19 |
| Eleven | 0 | 3 | 5 | 1 | 2 | 0 | 11 |
| Twelve | 2 | 9 | 15 | 11 | 8 | 0 | 45 |
| Thirteen | 2 | 4 | 9 | 2 | 2 | 0 | 19 |
| Fourteen | 2 | 10 | 27 | 10 | 9 | 0 | 58 |
| Fifteen | 7 | 37 | 104 | 76 | 51 | 1 | 276 |
| 16 or More | 3 | 8 | 17 | 9 | 9 | 0 | 46 |
| Not Stated | 0 | 0 | 1 | 2 | 0 | 1 | 4 |
| Total | 26 | 88 | 192 | 117 | 83 | 3 | 509 |

Table 10
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For Minority Women

| Number of Prenatal Visits | Education of Mother | | | | Total |
|---------------------------|---------------------|--------------|----------------|---------------|-------|
| | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | |
| Eight | 0 | 1 | 0 | 0 | 1 |
| Ten | 0 | 0 | 1 | 1 | 2 |
| Twelve | 0 | 1 | 0 | 0 | 1 |
| Fourteen | 0 | 1 | 0 | 0 | 1 |
| Fifteen | 1 | 8 | 3 | 0 | 12 |
| Total | 1 | 11 | 4 | 1 | 17 |

Table 11
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For All Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | Total | |
|---------------------------|---------------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|----------|------------|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | | 40 thru 44 |
| None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| Five | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Six | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 4 |
| Seven | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| Eight | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 4 | 2 | 1 | 0 | 11 |
| Nine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 6 |
| Ten | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 3 | 2 | 2 | 1 | 5 | 3 | 0 | 0 | 21 |
| Eleven | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 0 | 11 |
| Twelve | 1 | 0 | 2 | 1 | 1 | 2 | 1 | 0 | 5 | 4 | 4 | 8 | 9 | 7 | 1 | 46 |
| Thirteen | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 2 | 5 | 7 | 0 | 0 | 19 |
| Fourteen | 0 | 0 | 0 | 0 | 3 | 5 | 2 | 3 | 2 | 3 | 3 | 26 | 8 | 4 | 0 | 59 |
| Fifteen | 1 | 2 | 1 | 3 | 9 | 8 | 12 | 14 | 14 | 21 | 15 | 97 | 60 | 26 | 5 | 288 |
| 16 or More | 0 | 0 | 2 | 0 | 3 | 1 | 1 | 2 | 4 | 1 | 7 | 16 | 6 | 3 | 0 | 46 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 4 |
| Total | 3 | 2 | 8 | 5 | 16 | 25 | 20 | 25 | 29 | 37 | 33 | 169 | 102 | 45 | 7 | 526 |

Table 11
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For White Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | Total | |
|---------------------------|---------------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|----------|------------|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | | 40 thru 44 |
| None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| Five | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Six | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 4 |
| Seven | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| Eight | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 4 | 2 | 0 | 0 | 10 |
| Nine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 6 |
| Ten | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 3 | 2 | 2 | 1 | 4 | 2 | 0 | 0 | 19 |
| Eleven | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 0 | 11 |
| Twelve | 1 | 0 | 2 | 1 | 1 | 2 | 1 | 0 | 5 | 4 | 4 | 8 | 9 | 6 | 1 | 45 |
| Thirteen | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 2 | 5 | 7 | 0 | 0 | 19 |
| Fourteen | 0 | 0 | 0 | 0 | 3 | 5 | 2 | 3 | 2 | 3 | 3 | 25 | 8 | 4 | 0 | 58 |
| Fifteen | 1 | 2 | 1 | 3 | 9 | 8 | 11 | 14 | 14 | 20 | 13 | 93 | 57 | 26 | 4 | 276 |
| 16 or More | 0 | 0 | 2 | 0 | 3 | 1 | 1 | 2 | 4 | 1 | 7 | 16 | 6 | 3 | 0 | 46 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 4 |
| Total | 3 | 2 | 8 | 5 | 16 | 25 | 19 | 25 | 29 | 36 | 31 | 163 | 98 | 43 | 6 | 509 |

Table 11
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For Minority Women

| Number of Prenatal Visits | Age of Mother | | | | | | | Total |
|---------------------------|---------------|----|----|------------|------------|------------|------------|-------|
| | 20 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | |
| Eight | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Ten | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| Twelve | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Fourteen | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Fifteen | 1 | 1 | 2 | 4 | 3 | 0 | 1 | 12 |
| Total | 1 | 1 | 2 | 6 | 4 | 2 | 1 | 17 |

Table 12
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For All Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 0 | 1 | 1 |
| One | 1 | 1 | 2 |
| Three | 1 | 0 | 1 |
| Four | 1 | 1 | 2 |
| Five | 0 | 2 | 2 |
| Six | 2 | 2 | 4 |
| Seven | 2 | 1 | 3 |
| Eight | 11 | 0 | 11 |
| Nine | 5 | 1 | 6 |
| Ten | 10 | 11 | 21 |
| Eleven | 6 | 5 | 11 |
| Twelve | 30 | 16 | 46 |
| Thirteen | 15 | 4 | 19 |
| Fourteen | 47 | 12 | 59 |
| Fifteen | 234 | 54 | 288 |
| 16 or More | 35 | 11 | 46 |
| Not Stated | 4 | 0 | 4 |
| Total | 404 | 122 | 526 |

Table 12
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For White Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 0 | 1 | 1 |
| One | 1 | 1 | 2 |
| Three | 1 | 0 | 1 |
| Four | 1 | 1 | 2 |
| Five | 0 | 2 | 2 |
| Six | 2 | 2 | 4 |
| Seven | 2 | 1 | 3 |
| Eight | 10 | 0 | 10 |
| Nine | 5 | 1 | 6 |
| Ten | 8 | 11 | 19 |
| Eleven | 6 | 5 | 11 |
| Twelve | 29 | 16 | 45 |
| Thirteen | 15 | 4 | 19 |
| Fourteen | 47 | 11 | 58 |
| Fifteen | 227 | 49 | 276 |
| 16 or More | 35 | 11 | 46 |
| Not Stated | 4 | 0 | 4 |
| Total | 393 | 116 | 509 |

Table 12
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For Minority Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| Eight | 1 | 0 | 1 |
| Ten | 2 | 0 | 2 |
| Twelve | 1 | 0 | 1 |
| Fourteen | 0 | 1 | 1 |
| Fifteen | 7 | 5 | 12 |
| Total | 11 | 6 | 17 |

Table 13
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For All Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | | Total | |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|-----|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Three | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Five | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Six | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Seven | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Eight | 1 | 3 | 4 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 11 |
| Nine | 0 | 3 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 6 |
| Ten | 6 | 8 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| Eleven | 4 | 4 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 11 |
| Twelve | 17 | 11 | 8 | 6 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 46 |
| Thirteen | 6 | 6 | 3 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| Fourteen | 21 | 18 | 11 | 4 | 1 | 3 | 0 | 1 | 0 | 0 | 0 | 59 |
| Fifteen | 93 | 99 | 50 | 34 | 8 | 0 | 2 | 1 | 1 | 0 | 0 | 288 |
| 16 or More | 18 | 19 | 5 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 46 |
| Not Stated | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| Total | 173 | 177 | 88 | 57 | 13 | 8 | 3 | 3 | 2 | 2 | 2 | 526 |

Table 13
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For White Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | | Total | |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|-----|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Three | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Five | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Six | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Seven | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Eight | 1 | 3 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| Nine | 0 | 3 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 6 |
| Ten | 6 | 7 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| Eleven | 4 | 4 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 11 |
| Twelve | 17 | 11 | 7 | 6 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 45 |
| Thirteen | 6 | 6 | 3 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| Fourteen | 21 | 17 | 11 | 4 | 1 | 3 | 0 | 1 | 0 | 0 | 0 | 58 |
| Fifteen | 88 | 96 | 49 | 31 | 8 | 0 | 2 | 1 | 1 | 0 | 0 | 276 |
| 16 or More | 18 | 19 | 5 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 46 |
| Not Stated | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| Total | 168 | 172 | 86 | 52 | 13 | 8 | 3 | 3 | 2 | 2 | 2 | 509 |

Table 13
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For Minority Women

| Number of Prenatal Visits | Birth Order | | | | Total |
|---------------------------|-------------|-----|-----|-----|-------|
| | 1st | 2nd | 3rd | 4th | |
| Eight | 0 | 0 | 0 | 1 | 1 |
| Ten | 0 | 1 | 0 | 1 | 2 |
| Twelve | 0 | 0 | 1 | 0 | 1 |
| Fourteen | 0 | 1 | 0 | 0 | 1 |
| Fifteen | 5 | 3 | 1 | 3 | 12 |
| Total | 5 | 5 | 2 | 5 | 17 |

Table 14
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For All Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 0 | 1 | 0 | 0 | 1 |
| One | 0 | 1 | 1 | 0 | 2 |
| Three | 0 | 0 | 1 | 0 | 1 |
| Four | 1 | 0 | 1 | 0 | 2 |
| Five | 0 | 0 | 2 | 0 | 2 |
| Six | 0 | 0 | 4 | 0 | 4 |
| Seven | 1 | 0 | 2 | 0 | 3 |
| Eight | 1 | 1 | 9 | 0 | 11 |
| Nine | 0 | 1 | 5 | 0 | 6 |
| Ten | 3 | 2 | 16 | 0 | 21 |
| Eleven | 0 | 0 | 11 | 0 | 11 |
| Twelve | 0 | 11 | 35 | 0 | 46 |
| Thirteen | 0 | 5 | 14 | 0 | 19 |
| Fourteen | 0 | 1 | 58 | 0 | 59 |
| Fifteen | 0 | 5 | 283 | 0 | 288 |
| 16 or More | 0 | 0 | 46 | 0 | 46 |
| Not Stated | 0 | 1 | 2 | 1 | 4 |
| Total | 6 | 29 | 490 | 1 | 526 |

Table 14
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For White Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 0 | 1 | 0 | 0 | 1 |
| One | 0 | 1 | 1 | 0 | 2 |
| Three | 0 | 0 | 1 | 0 | 1 |
| Four | 1 | 0 | 1 | 0 | 2 |
| Five | 0 | 0 | 2 | 0 | 2 |
| Six | 0 | 0 | 4 | 0 | 4 |
| Seven | 1 | 0 | 2 | 0 | 3 |
| Eight | 0 | 1 | 9 | 0 | 10 |
| Nine | 0 | 1 | 5 | 0 | 6 |
| Ten | 2 | 2 | 15 | 0 | 19 |
| Eleven | 0 | 0 | 11 | 0 | 11 |
| Twelve | 0 | 11 | 34 | 0 | 45 |
| Thirteen | 0 | 5 | 14 | 0 | 19 |
| Fourteen | 0 | 0 | 58 | 0 | 58 |
| Fifteen | 0 | 5 | 271 | 0 | 276 |
| 16 or More | 0 | 0 | 46 | 0 | 46 |
| Not Stated | 0 | 1 | 2 | 1 | 4 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 14
Stokes County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For Minority Women

| Number of Prenatal Visits | Birth Weight in Grams | | | Total |
|---------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Eight | 1 | 0 | 0 | 1 |
| Ten | 1 | 0 | 1 | 2 |
| Twelve | 0 | 0 | 1 | 1 |
| Fourteen | 0 | 1 | 0 | 1 |
| Fifteen | 0 | 0 | 12 | 12 |
| Total | 2 | 1 | 14 | 17 |

Table 15
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For All Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| Three | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Five | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| Six | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 4 |
| Seven | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| Eight | 0 | 1 | 5 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 11 |
| Nine | 0 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 6 |
| Ten | 0 | 2 | 9 | 1 | 2 | 7 | 0 | 0 | 0 | 0 | 21 |
| Eleven | 0 | 1 | 2 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 11 |
| Twelve | 0 | 19 | 12 | 10 | 4 | 0 | 0 | 0 | 0 | 1 | 46 |
| Thirteen | 0 | 7 | 5 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 19 |
| Fourteen | 0 | 23 | 34 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 59 |
| Fifteen | 0 | 145 | 131 | 10 | 2 | 0 | 0 | 0 | 0 | 0 | 288 |
| 16 or More | 0 | 22 | 23 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 46 |
| Not Stated | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| Total | 1 | 223 | 226 | 35 | 19 | 12 | 1 | 2 | 2 | 5 | 526 |

Table 15
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For White Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| None | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| Three | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Four | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Five | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| Six | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 4 |
| Seven | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| Eight | 0 | 1 | 4 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 10 |
| Nine | 0 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 6 |
| Ten | 0 | 2 | 8 | 1 | 2 | 6 | 0 | 0 | 0 | 0 | 19 |
| Eleven | 0 | 1 | 2 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 11 |
| Twelve | 0 | 19 | 12 | 9 | 4 | 0 | 0 | 0 | 0 | 1 | 45 |
| Thirteen | 0 | 7 | 5 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 19 |
| Fourteen | 0 | 22 | 34 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 58 |
| Fifteen | 0 | 140 | 125 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 276 |
| 16 or More | 0 | 22 | 23 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 46 |
| Not Stated | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| Total | 1 | 217 | 218 | 33 | 19 | 11 | 1 | 2 | 2 | 5 | 509 |

Table 15
Stokes County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For Minority Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | Total |
|---------------------------|---------------------------|--------------|-------------|-------------|-------|
| | First Month | Second Month | Third Month | Fifth Month | |
| Eight | 0 | 1 | 0 | 0 | 1 |
| Ten | 0 | 1 | 0 | 1 | 2 |
| Twelve | 0 | 0 | 1 | 0 | 1 |
| Fourteen | 1 | 0 | 0 | 0 | 1 |
| Fifteen | 5 | 6 | 1 | 0 | 12 |
| Total | 6 | 8 | 2 | 1 | 17 |

Table 16
Stokes County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For All Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 3 | 20 | 382 | 0 | 405 |
| Anemia | | 0 | 0 | 4 | 0 | 4 |
| Diabetes | | 1 | 1 | 17 | 0 | 19 |
| Hypertension | | 0 | 2 | 28 | 0 | 30 |
| All Others | | 2 | 7 | 69 | 0 | 78 |
| One or More | | 3 | 9 | 108 | 0 | 120 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 6 | 29 | 490 | 1 | 526 |

Table 16
Stokes County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For White Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 2 | 20 | 372 | 0 | 394 |
| Anemia | | 0 | 0 | 4 | 0 | 4 |
| Diabetes | | 0 | 1 | 17 | 0 | 18 |
| Hypertension | | 0 | 2 | 27 | 0 | 29 |
| All Others | | 2 | 6 | 65 | 0 | 73 |
| One or More | | 2 | 8 | 104 | 0 | 114 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 4 | 28 | 476 | 1 | 509 |

Table 16
Stokes County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For Minority Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 1 | 0 | 10 | 11 |
| Anemia | | 0 | 0 | 0 | 0 |
| Diabetes | | 1 | 0 | 0 | 1 |
| Hypertension | | 0 | 0 | 1 | 1 |
| All Others | | 0 | 1 | 4 | 5 |
| One or More | | 1 | 1 | 4 | 6 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 2 | 1 | 14 | 17 |

Table 17
Stokes County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 3 | 14 | 352 | 0 | 369 |
| Smoked | 3 | 15 | 138 | 0 | 156 |
| Smoking Unknown | 0 | 0 | 0 | 1 | 1 |

Table 17
Stokes County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For White Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 2 | 14 | 339 | 0 | 355 |
| Smoked | 2 | 14 | 137 | 0 | 153 |
| Smoking Unknown | 0 | 0 | 0 | 1 | 1 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 17
Stokes County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For Minority Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | Total |
|-------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Did Not Smoke | 1 | 0 | 13 | 14 |
| Smoked | 1 | 1 | 1 | 3 |
| Total | 2 | 1 | 14 | 17 |

Table 18
Stokes County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | | Total |
|--------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 0-9 lbs | 4 | 1 | 28 | 0 | 33 |
| 10-19 lbs | 0 | 2 | 61 | 0 | 63 |
| 20-29 lbs | 2 | 11 | 113 | 0 | 126 |
| 30-39 lbs | 0 | 11 | 138 | 0 | 149 |
| 40 + lbs | 0 | 4 | 149 | 0 | 153 |
| Unknown | 0 | 0 | 1 | 1 | 2 |
| Total | 6 | 29 | 490 | 1 | 526 |

Table 18
Stokes County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For White Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | | Total |
|--------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 0-9 lbs | 2 | 1 | 26 | 0 | 29 |
| 10-19 lbs | 0 | 2 | 61 | 0 | 63 |
| 20-29 lbs | 2 | 11 | 110 | 0 | 123 |
| 30-39 lbs | 0 | 10 | 132 | 0 | 142 |
| 40 + lbs | 0 | 4 | 146 | 0 | 150 |
| Unknown | 0 | 0 | 1 | 1 | 2 |
| Total | 4 | 28 | 476 | 1 | 509 |

Table 18
Stokes County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For Minority Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | Total |
|--------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 0-9 lbs | 2 | 0 | 2 | 4 |
| 20-29 lbs | 0 | 0 | 3 | 3 |
| 30-39 lbs | 0 | 1 | 6 | 7 |
| 40 + lbs | 0 | 0 | 3 | 3 |
| Total | 2 | 1 | 14 | 17 |

Table 19
Stokes County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For All Women

| Obstetric Procedures | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 0 | 1 | 0 | 1 |
| Amniocentesis | | 0 | 0 | 0 | 0 | 0 |
| Electronic Fetal Monitoring | | 6 | 29 | 477 | 0 | 512 |
| Induction of Labor | | 0 | 0 | 15 | 0 | 15 |
| Stimulation of Labor | | 0 | 1 | 34 | 0 | 35 |
| Ultrasound | | 6 | 28 | 481 | 0 | 515 |
| All others | | 0 | 0 | 0 | 0 | 0 |
| One or more | | 6 | 29 | 489 | 0 | 524 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 6 | 29 | 490 | 1 | 526 |

Table 19
Stokes County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For White Women

| Obstetric Procedures | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 0 | 1 | 0 | 1 |
| Amniocentesis | | 0 | 0 | 0 | 0 | 0 |
| Electronic Fetal Monitoring | | 4 | 28 | 464 | 0 | 496 |
| Induction of Labor | | 0 | 0 | 15 | 0 | 15 |
| Stimulation of Labor | | 0 | 1 | 34 | 0 | 35 |
| Ultrasound | | 4 | 27 | 467 | 0 | 498 |
| All others | | 0 | 0 | 0 | 0 | 0 |
| One or more | | 4 | 28 | 475 | 0 | 507 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 4 | 28 | 476 | 1 | 509 |

Table 19
Stokes County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For Minority Women

| Obstetric Procedures | | Birth Weight in Grams | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 0 | 0 | 0 |
| Amniocentesis | | 0 | 0 | 0 | 0 |
| Electronic Fetal Monitoring | | 2 | 1 | 13 | 16 |
| Induction of Labor | | 0 | 0 | 0 | 0 |
| Stimulation of Labor | | 0 | 0 | 0 | 0 |
| Ultrasound | | 2 | 1 | 14 | 17 |
| All others | | 0 | 0 | 0 | 0 |
| One or more | | 2 | 1 | 14 | 17 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 2 | 1 | 14 | 17 |

Table 20
Stokes County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For All Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 6 | 251 | 0 | 257 |
| Meconium | | 0 | 2 | 45 | 0 | 47 |
| Premature Rupture | | 1 | 2 | 7 | 0 | 10 |
| Dysfunctional Labor | | 0 | 2 | 18 | 0 | 20 |
| Breech-malpresent. | | 2 | 2 | 33 | 0 | 37 |
| Fetal Distress | | 1 | 5 | 105 | 0 | 111 |
| All Others | | 4 | 18 | 100 | 0 | 122 |
| One or More | | 6 | 23 | 239 | 0 | 268 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 6 | 29 | 490 | 1 | 526 |

Table 20
Stokes County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For White Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 6 | 244 | 0 | 250 |
| Meconium | | 0 | 2 | 44 | 0 | 46 |
| Premature Rupture | | 0 | 2 | 7 | 0 | 9 |
| Dysfunctional Labor | | 0 | 2 | 16 | 0 | 18 |
| Breech-malpresent. | | 1 | 2 | 33 | 0 | 36 |
| Fetal Distress | | 1 | 5 | 100 | 0 | 106 |
| All Others | | 3 | 17 | 99 | 0 | 119 |
| One or More | | 4 | 22 | 232 | 0 | 258 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 4 | 28 | 476 | 1 | 509 |

Table 20
Stokes County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For Minority Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 0 | 7 | 7 |
| Meconium | | 0 | 0 | 1 | 1 |
| Premature Rupture | | 1 | 0 | 0 | 1 |
| Dysfunctional Labor | | 0 | 0 | 2 | 2 |
| Breech-malpresent. | | 1 | 0 | 0 | 1 |
| Fetal Distress | | 0 | 0 | 5 | 5 |
| All Others | | 1 | 1 | 1 | 3 |
| One or More | | 2 | 1 | 7 | 10 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 2 | 1 | 14 | 17 |

Table 21
Stokes County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For All Women

| Method of Delivery | | Birth Weight in Grams | | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | | 3 | 24 | 383 | 0 | 410 |
| Primary C-section | | 2 | 5 | 69 | 0 | 76 |
| Repeat C-section | | 1 | 0 | 38 | 0 | 39 |
| Forceps | | 0 | 4 | 20 | 0 | 24 |
| Vacuum | | 0 | 0 | 14 | 0 | 14 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 6 | 29 | 490 | 1 | 526 |

Table 21
Stokes County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For White Women

| Method of Delivery | | Birth Weight in Grams | | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | | 2 | 23 | 372 | 0 | 397 |
| Primary C-section | | 2 | 5 | 67 | 0 | 74 |
| Repeat C-section | | 0 | 0 | 37 | 0 | 37 |
| Forceps | | 0 | 4 | 19 | 0 | 23 |
| Vacuum | | 0 | 0 | 12 | 0 | 12 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 4 | 28 | 476 | 1 | 509 |

Table 21
Stokes County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For Minority Women

| Method of Delivery | | Birth Weight in Grams | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| Vaginal | | 1 | 1 | 11 | 13 |
| Primary C-section | | 0 | 0 | 2 | 2 |
| Repeat C-section | | 1 | 0 | 1 | 2 |
| Forceps | | 0 | 0 | 1 | 1 |
| Vacuum | | 0 | 0 | 2 | 2 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 2 | 1 | 14 | 17 |

Table 22
Stokes County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For All Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 17 | 433 | 0 | 450 |
| Assisted Ventilation | | 1 | 0 | 5 | 0 | 6 |
| All Others | | 5 | 12 | 52 | 0 | 69 |
| One or More | | 6 | 12 | 57 | 0 | 75 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 6 | 29 | 490 | 1 | 526 |

Table 22
Stokes County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For White Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 0 | 16 | 419 | 0 | 435 |
| Assisted Ventilation | | 0 | 0 | 5 | 0 | 5 |
| All Others | | 4 | 12 | 52 | 0 | 68 |
| One or More | | 4 | 12 | 57 | 0 | 73 |
| Unknown | | 0 | 0 | 0 | 1 | 1 |
| | Total | 4 | 28 | 476 | 1 | 509 |

Table 22
Stokes County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For Minority Women

| Condition of Newborn | | Birth Weight in Grams | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 1 | 14 | 15 |
| Assisted Ventilation | | 1 | 0 | 0 | 1 |
| All Others | | 1 | 0 | 0 | 1 |
| One or More | | 2 | 0 | 0 | 2 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 2 | 1 | 14 | 17 |